



REPLACEMENT SHEET

1/37

FIG. 1





FIG. 2



REPLACEMENT SHEET

3/37

FIG. 3-1

































































Class / Cat	500	Info Level 1	2	3	Main Search Attribute
	 Systems ~502				Platform / ...
	 Desktop / Deskside ~504	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Processor / Speed / Form Factor
	 Laptop ~506	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Processor / Speed
	 Handheld / PDA ~508	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Device Type
	 CPU Upgrade ~510	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Processor / Speed
	 Mainboard ~512	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Form Factor
	 Cabinet ~514	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Form Factor
	 UPS & Power ~516	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Type / Capacity
	 Battery ~518	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Device Type
	 Docking & Connectivity ~520	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Device Type
	 Portable Accessory ~522	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Accessory Type
	 Service & Support ~524	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Service Type
	 Memory ~504				Platform / ...
	 Standard RAM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Form Factor / Type
	 Video Memory	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Upgrade Type
	 Cache Memory	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Upgrade Type
	 Flash Memory	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Upgrade Type
	 ROM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Upgrade Type
	 Memory Adapter	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Adapter Type
	 Memory Accessory	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Accessory Type
	 Storage ~506				Platform / ...
	 Hard Drive	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Form Factor / Type
	 Disk Array (RAID)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Device Type
	 Removable Disk Drive	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Form Factor / Type
	 Removable Tape Drive	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Form Factor / Type
	 Network Storage	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Device Type
	 Removable Media	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Media Type
	 Storage Adapter	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Adapter Type
	 Storage Cable	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Cable Type
	 Storage Cabinet	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Form Factor
	 Storage Accessory	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Accessory Type
	 Service & Support	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Service Type

FIG. 3-2

Class / Cat	Info Level 1	2	3	Main Search Attribute
[-] Input ~508				Platform / ...
+ Key-Entry Device			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Type / Connection
+ Pointing Device			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Type / Connection
+ Game Controller			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Type / Connection
+ Scanner			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Device Type
+ Bar Code Reader			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Form Factor / Type
+ Audio Input			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Device Type
+ Video Input			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Form Factor / Type
+ Input Adapter			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Adapter Type
+ Input Cable			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	CableType
+ Input Accessory			<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	Accessory Type
+ Service & Support			<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	Service Type
[-] Output ~510				Platform / ...
+ Desktop Monitor			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Type / Size
+ Presentation Monitor			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Type / Size
+ Projector & Panel			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Form Factor / Type
+ Printer			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Type / Productivity
+ Audio			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Device Type
+ Video Adapter			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Type / Interface
+ Audio Adapter			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Type / Interface
+ Output Cable			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Cable Type
+ Printer Consumable			<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	Consumable Type
+ Output Accessory			<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	Accessory Type
+ Service & Support			<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	Service Type
[-] Network ~512				Platform / ...
+ Modem			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Form Factor / Type
+ Communication			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Device Type
+ Access Point			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Device Type
+ Multiplexor			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Device Type
+ Repeater / Bridge			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Device Type
+ Hub / Switch			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Device Type
+ Router			<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Device Type

REPLACEMENT SHEET

5/37

FIG. 3-3

Class / Cat	Info Level 1	2	3	Main Search Attribute
~ +..... Network Adapter	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Adapter Type
+..... Network Cable	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Cable Type
+..... Network Accessory	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Accessory Type
+..... Service & Support	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Service Type
-..... Software ~514				Platform / ...
+..... Application	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	OS Type
+..... Operating System	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Category / Type
+..... Service & Support	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Service Type

REPLACEMENT SHEET

6/37

FIG. 4-1

Systems - Desktop / Deskside		626	624	622	
Attribute	Priority	Srch.	Value List Name	Multi-Valued	Units List Name
AA Desktop / Deskside ~ 602 608					
High (Medium) Priority Attributes 126 (62)			Search Attributes 42 ~ 622		
Header (G00063)					
A00603	Compatibility	1	<input checked="" type="checkbox"/> Product Compatibility	<input checked="" type="checkbox"/>	
A00604	Localization	1	<input checked="" type="checkbox"/> Product Localization	<input checked="" type="checkbox"/>	
A00605	Country Kits	1	<input checked="" type="checkbox"/> Product Country Kit	<input checked="" type="checkbox"/>	
A00600	Product Line	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
A00601	Model	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
A00630	Manufacturer 610	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
System (G00050) → Attribute Group ~ 604					
A00432	Type ~ 612 Attribute ~	1	<input checked="" type="checkbox"/> General System Type	<input checked="" type="checkbox"/>	
A00431	Designation ~ 614 606	1	<input checked="" type="checkbox"/> General Product Designation	<input checked="" type="checkbox"/>	
Cabinet / Chassis (G00007)					
A00031	Built-in-Devices	2	<input type="checkbox"/> Cabinet Built-in-Devices	<input checked="" type="checkbox"/>	
A00030	Form Factor	1	<input checked="" type="checkbox"/> Cabinet Form Factor	<input type="checkbox"/>	
Processor (G00008) ~ 616					
A00036	Form Factor	1	<input checked="" type="checkbox"/> Component Form factor	<input type="checkbox"/>	
A00037	Installed Qty	1	<input checked="" type="checkbox"/> Numeric Entry	<input type="checkbox"/>	
A00038	Max Supported Qty	1	<input checked="" type="checkbox"/> Numeric Entry	<input type="checkbox"/>	
A00039	Manufacturer	1	<input checked="" type="checkbox"/> Processor Manufacturer	<input type="checkbox"/>	
A00041	Instruction Set	2	<input type="checkbox"/> Processor Instruction Set	<input type="checkbox"/>	
A00042	Upgradability ~ 618	1	<input checked="" type="checkbox"/> Component Upgradability	<input type="checkbox"/>	
A00043	Math Coprocessor	2	<input type="checkbox"/> Component Form factor	<input type="checkbox"/>	
A00044	Cache Level 1 Size	2	<input type="checkbox"/> Numeric Entry	<input type="checkbox"/>	Data Size (Bytes)
A00045	Architecture Features ~ 622	2	<input type="checkbox"/> Processor Features	<input checked="" type="checkbox"/>	
A00040	Clock Speed ~ 620	1	<input checked="" type="checkbox"/> Numeric Entry	<input type="checkbox"/>	Frequency Units
A00035	Type	1	<input checked="" type="checkbox"/> Processor Type	<input type="checkbox"/>	

REPLACEMENT SHEET

7/37

FIG. 4-2

Mainboard (G00009)				
A00050 Chipset Type	2	<input type="checkbox"/> Chipset Vendor / Type	<input type="checkbox"/>	
A00051 BIOS Type	2	<input type="checkbox"/> Mainboard BIOS Vendor / Type	<input type="checkbox"/>	
A00049 Data Bus Speed	1	<input checked="" type="checkbox"/> Bus Clock Speed	<input type="checkbox"/>	Frequency Units
Memory / Cache (G00046)				
A00398 Form Factor	2	<input type="checkbox"/> Memory Form Factor	<input type="checkbox"/>	
A00399 Technology	1	<input type="checkbox"/> Memory Technology	<input type="checkbox"/>	
A00400 Installed Size	1	<input checked="" type="checkbox"/> Numeric Entry	<input type="checkbox"/>	Data Size (Bytes)
A00401 Max Supported Size	1	<input checked="" type="checkbox"/> Numeric Entry	<input type="checkbox"/>	Data Size (Bytes)
A00397 Type	1	<input type="checkbox"/> Memory Type	<input type="checkbox"/>	
A00407 Upgrade Rule	2	<input type="checkbox"/> Upgrade Rule	<input type="checkbox"/>	
Memory / RAM (G00010)				
A00053 Installed Size	1	<input checked="" type="checkbox"/> Numeric Entry	<input type="checkbox"/>	Data Size (Bytes)
A00054 Soldered Size	2	<input type="checkbox"/> Numeric Entry	<input type="checkbox"/>	Data Size (Bytes)
A00055 Max Supported Size	1	<input checked="" type="checkbox"/> Numeric Entry	<input type="checkbox"/>	Data Size (Bytes)
A00056 Technology	1	<input checked="" type="checkbox"/> Memory Technology	<input type="checkbox"/>	
A00057 Data Integrity Check	2	<input type="checkbox"/> Memory Error Correction	<input type="checkbox"/>	
A00058 Features	2	<input type="checkbox"/> Memory Features	<input checked="" type="checkbox"/>	
A00059 Supply Voltage	2	<input type="checkbox"/> Voltage	<input type="checkbox"/>	Voltage Units

FIG. 5




FIG. 6






FIG. 7



10/37

FIG. 8A



11/37

FIG. 8B




FIG. 8C

846

ATTRIBUTE TABLE	
SYSTEM_SKU1	848
ATTRIBUTE_ID1	850
VALUE_ID1	852
UNIT_ID1	854
⋮	
SYSTEM_SKUN	
ATTRIBUTE_IDN	
VALUE_IDN	
UNIT_IDN	


— SINGLE ATTRIBUTE
— MULTIPLE ATTRIBUTE


856

REPEATING ATTRIBUTE TABLE	
SYSTEM_SKU1	848
ATTRIBUTE_ID1	850
VALUE_ID1	852
UNIT_ID1	854
SET#1	858
⋮	
SYSTEM_SKUN	
ATTRIBUTE_IDN	
VALUE_IDN	
UNIT_IDN	
SET#N	

— REPEATING ATTRIBUTE

13/37
MODEL TABLES 902





15/37





FIG. 9C



← one to many

← many to one

PRODUCT TABLES 904




FIG. 9D-2





FIG. 10A



REPLACEMENT SHEET


20/37

FIG. 10B

CUSTOMER PRODUCT PORTFOLIO FILE	
MANUFACTURER_SKU1~	1016
CUSTOMER_SKU1~	1018
MANUFACTURER_NAME1~	1020
SHORT PRODUCT DESCRIPTION1~	1022
	.
	.
	.
MANUFACTURER_SKUN	
CUSTOMER_SKUN	
MANUFACTURER_NAMEN	
SHORT PRODUCT DESCRIPTIONN	

21/37

FIG. 11



22/37

FIG. 12A




FIG. 12B-1

1226

Vendor: IBM 1228

Vendor SKU: 37E74FR 1230

Product Line: Aptiva E 1232

Model: 2100 1234

Vendor Product Description: 1236

Aptiva E 2137-E74 K6 300 MMX evolve-48 Mo-256K cache-4, 2 Go-CD 24X-Card Crystal 4237 B-MT-Comm 56Kbps-W95-Ecran 15"

GDT SKU: 1238

Category: Desktop/Desktopside 1240

Completion constraint I 1242 1244

Completion Status		V	Username	Date/Time	Pages
Additional values requested	1246				
Requested values created	1248				
All mandatory attributes researched	1250				
Form transmitted to data capture	1252				
Data capture completed					
Data checked					

REPLACEMENT SHEET

24/37

FIG. 12B-2

System - Type (Mandatory / Multi Value)

N/A | Network Computer | Personal Computer | Server | Workstation |

System - Designation (Mandatory / Multi Value)

N/A | Corporate Business | Home Use | Small Business |

Cabinet - Form Factor (Mandatory / Single Value)

N/A | Desktop | Desktop Slimline | Full Tower | Mid Tower | Mini Tower | Portable | Proprietary | Rack |

Cabinet - Built-in Devices (Optional / Multi Value)

N/A | None | Copier | Display | Keyboard | Microphone | Mouse | Pointing Stick | Printer | Scanner | Speaker |
Status LCD | Stereo Speakers | Touchpad | Trackball |

Processor - Type (Mandatory / Single Value)

N/A | None | 6X86 | 6X86MX | 80186 | 80286 | 80386 | 80486 | 8086 | Celeron | JF-33 | K6 MMX | K6-2 |
MediaGX | MIPS Processor | Pentium | Pentium II MMX | Pentium II Xeon | Pentium MMX | Pentium Pro |
Power PC 603 | Power PC 604e | Power PC G3 | Sonet RISC 4700 |

Processor - Form Factor (Mandatory / Single Value) ~1260

N/A | External | Integrated | Internal | Plug-in Card | Plug-in Module |

1254 }
1256 } 1258

Processor - Installed Qty (Mandatory / Single Value)

N/A | 0 | 1 | 12 | 128 | 144 | 15 | 16 | 160 | 18 | 192 | 196 | 2 | 20 | 24 | 256 | 288 | 3 | 32 | 35 | 384 | 4 | 40 | 468 |
48 | 512 | 56 | 6 | 64 | 72 | 768 | 8 | 80 | 90 | 96 | 96 | 960 |

Processor - Max Supported Qty (Mandatory / Single Value)

N/A | 0 | 1 | 12 | 128 | 144 | 15 | 16 | 160 | 18 | 192 | 196 | 2 | 20 | 24 | 256 | 288 | 3 | 32 | 35 | 384 | 4 | 40 | 468 |
48 | 512 | 56 | 6 | 64 | 72 | 768 | 8 | 80 | 90 | 96 | 96 | 960 |

Processor - Upgradability (Mandatory / Single Value)

N/A | Not Upgradable | Upgradable |

Processor - Manufacturer (Mandatory / Single Value)

N/A | AMD | Cyrix | DEC | IBM | Intel | MIPS | Motorola |

Processor - Clock Speed (Mandatory / Single Value)

N/A | 100 | 120 | 133 | 150 | 16 | 166 | 180 | 200 | 233 | 25 | 266 | 300 | 33 | 333 | 350 | 400 | 450 | 50 | 60 | 66 |
7.37 | 75 | 8 | 90 |

Hz | KHz | MHz | GHz |

Processor - Instruction Set (Optional / Single Value)

N/A | CISC x86 | IA-64 | RISC | x86-to-RISC |

Processor - Math Coprocessor (Optional / Single Value)

N/A | External | Integrated | Internal | Plug-in Card | Plug-in Module |

Processor - Primary Cache Size (Optional / Single Value)

N/A | 0 | 1 | 12 | 128 | 144 | 15 | 16 | 160 | 18 | 192 | 196 | 2 | 20 | 24 | 256 | 288 | 3 | 32 | 35 | 384 | 4 | 40 | 468 |
48 | 512 | 56 | 6 | 64 | 72 | 768 | 8 | 80 | 90 | 96 | 96 | 960 |

Byte | KB | MB | GB | TB |

Processor - Compliant Standards (Optional / Multi Value)

N/A | 100MHz Front Side Bus | AltiVec | Data Dependency Removal | Dual Independent Bus | Dynamic
Execution | IEEE 754-compatible FPU | MMX instructions set | Multi-Branch Prediction | Out-Of-Order
Completion | Register Renaming | SEC Cartridge Packing | Sixth-generation | Socket 7-compatible |
Speculative Execution | Superpipelined | Superscalar | System Management Mode (SMM) |

REPLACEMENT SHEET

25/37

FIG. 12B-3

Mainboard - Data Bus Speed (Mandatory / Single Value)

N/A | 100 | 16 | 33 | 50 | 60 | 66 | 75 | 83 |

Hz | KHz | MHz | GHz |

Mainboard - Chipset Type / Vendor (Optional / Single Value)

N/A | ALi Aladdin IV | ALi Aladdin V | Intel 430FX (Triton) | Intel 430HX (Triton II) | Intel 430LX (Mercury) | Intel 430MX (Mobile Triton) | Intel 430NX (Neptune) | Intel 430TX | Intel 430VX (Triton III) | Intel 440BX | Intel 440EX | Intel 440LX | SiS 5571 | SiS 5591 | SiS 5597/5598 | VIA MVP3 | VIA VP1 | VIA VP2/97 | VIA VP3 | VIA VPX/97 | VIA VXPPro |

Mainboard - BIOS Type / Vendor (Optional / Single Value)

N/A | AMI | Award | Phoenix |

Memory / Cache - Type (Mandatory / Single Value)

N/A | None | DRAM | EROM | Flash | L2 Cache | ROM | SRAM |

Memory / Cache - Form Factor (Optional / Single Value)


N/A | DIMM 100-PIN | DIMM 168-PIN | Proprietary | SIMM 30-PIN | SIMM 72-PIN | SO DIMM 144-PIN | SO DIMM 72-PIN | SO DIMM 84-PIN |


REPLACEMENT SHEET

26/37

FIG. 13A-1

Proof Data Sheet



Data Language	French	
Vendor	IBM	1300
Vendor SKU	37E74FR	1302
Quantity	1	1304
GDT SKU	S0000654	1308

Standardized Description ~1310

Aptiva E MT 1 x K6 MMX 300 - Niveau 2 256 Ko - Memoire Vive 48 Mo - DD 4.2 Go - CD 24x - Mdm 56.6 Kbps - Microsoft Windows 95 - Moniteur 15"

Marketing Description ~1312

Puissance surprenante a un prix tres abordable - Le meilleur de la micro avec puissance, performance et de remarquables capacites multimedia a un prix abordable.

De plus la Suite Bureautique Lotus Smartsuite comprenant Lotus WordPro pour le traitement de texte, Lotus 1-2-3 pour les tableurs, Lotus FreeLance Graphics pour les presentations sont inclus.

Capacite d'extension - Il croit avec vous. La serie E vous offre une capacite de croissance unique dans cette gamme de prix. 2 ports USB pour un "plug and play" facile ainsi que 5 slots et 2 baies disponibles.

Un support technique prime - Le choix des lecteurs "PC Magazine" pour le service et le support. Faites le choix de confiance avec IBM Aptiva.

Extended Description ~1314

1	Format (LxPxH) / Poids	Minitour 19.5 cm x 45.5 cm x 42.9 cm / 12.7 kg
2	Processeur	1 x AMD K6 MMX 300 MHz
3	Memoire Cache Installe(e) (Max)	256 Ko (256 Ko) Cache de Niveau 2
4	Memoire Vive Installe(e) (Max)	48 Mo (256 Mo) SDRAM DIMM 168 broches
5	Lecteur de Disquette	1x 1.44 Mo 3.5" HD interne
6	Lecteur de Disque Dur	1 X 4.2 Go interne
7	Stockage CD / DVD	1 X 650 Mo CD-ROM 24x interne
8	Stockage Amovible	Aucun(e)
9	Amovible de Stockage (2eme)	Aucun(e)
10	Affichage	15" tube cathodique conventionnel 24-bit couleur bureau
11	Sortie Video	Carte Graphique ATI Rage II+ 2 MB (2 MD) SGRAM
12	Sortie Audio	Carte son 16-Bit 44.1 KHz son 3D
13	Telecommunications	
14	Reseaux	Aucun(e)
15	Alimentation	115/220 V (50/60 Hz)
16	Systeme d'Exploitation	Microsoft Windows 95
17	Garantie	1 annee de garantie

REPLACEMENT SHEET

27/37

FIG. 13A-2

Technical Specifications ~ 1316

1 General		
2	Format Systeme	Minitour
3	Dimensions (LxPxH) / Poids	19.5 cm x 45.5 cm x 42.9 cm / 12.7 kg
4	Couleur Boitier	Blanc
5 Processeur		
6	Processeur Installe (Max)	1 (1) x AMD K6 MMX 300 MHz
7	Bus Systeme Principal	66 MHz
8 Memoire		
9	Memoire Cach Installe(e) (Max)	256 Ko (256 Ko) Cache de Niveau 2 - Write-Back Cache
10	Memoire Vive Installe(e) (Max)	48 Mo (256 Mo) DRAM - SDRAM DIMM 168 broches

REPLACEMENT SHEET

28/37

FIG. 13A-3

11 **Stockage**

12	Lecteur de Disquette	1 x 1.44 Mo 3.5" HD interne
13	Lecteur de Disque Dur	1 x 4.2 Go interne
14	Stockage CD / DVD	1 x 650 Mo CD-ROM 24x interne CD-DA, CD-XA, Kodak PhotoCD
15	Stockage Amovible	Aucun(e)
16	Amovible de Stockage (2eme)	Aucun(e)
17	Controleur de Stockage	IDE / EIDE integre
18	Controleur de Stockage (2eme)	Aucun(e)

19 **Affichage**

20	Affichage Type	tube cathodique 15" conventionnel
21	Resolution Max	24-bit couleur / 1024 x 768 multiscan

22 **Video**

23	Sortie Video	Carte Graphique ATI Rage II+ integre
24	Memoire / Video Installe (Max)	2 Mo (2 Mo) SGRAM
25	Resolution Max (externe)	16-bit couleur / 1024 X 768
26	Video Supportee	RGB
27	Entree Video	Aucun(e)
28	Video Suportee	

29 **Audio**

30	Sortie Audio	Carte son integre(e) AdLib, Sound Blaster, Sound Blaster 16/Pro, Microsoft WSS 1.0/2.0, MPU-401
31	Mode Sortie Son	16-Bit 44.1 KHz son 3D
32	Entree Audio	Microphone externe

33 **Telecommunications / Reseaux**

34	Modem / Comm.	Fax / modem interne K56Flex DSVD jeu de commandes AT Hayes
35	Debit de Transfert Max (Fax)	56.6 Kbps (14.4 Kbps)
36	Reseau	Aucun(e)
37	Protocole de Gestion a Distance	

38 **Extension(s) / Connectivite**

39	Baie(s) d'Extension Total (Libre)	1 (0) x interne 3.5" 1 (0) x accessible de front 3.5" 3 (2) x accessible de front 5.25"
40	Logement(s) d'extensionTotal (Libre)	1 (1) x Partage PCI / ISA pleine-longueur 3 (2) x ISA pleine-longueur 2 (2) x PCI pleine-longueur
41	Port(s) Total (Libre) / Type de Connecteur	1 (1) x modem ligne de sortie / RJ-11 femelle 1 (1) x modem ligne d'entree / RJ-11 femelle 1 (0) x audio ligne de sortie / Prise Mini-Phono Stereo 3.5 mm femelle 1 (1) x audio ligne d'entree / Prise Mini-Phono Stereo 3.5 mm femelle 1 (0) x microphone Entree / Prise Mini-Phono Stereo 3.5 mm femelle 1 (1) x Gameport / MIDI generique / 15 broches D-Sub (DB-15) femelle 1 (0) x affichage / video VGA / VBE / 15 broches D-Sub (DB-15) femelle 1 (0) x souris generique / 6 broches mini-DIN (Style PS/2) femelle 1 (0) x clavier generique / 6 broches mini-DIN (Style PS/2) femelle 2 (2) X serie USB / prise 4 broches USB femelle 1 (1) x serie RD-232 / 9 broches D-Dub (DB-9) male 1 (1) x parallele IEEE 1284 (EPP/ECP) / 25 broches D-Sub (DB-25) femelle

REPLACEMENT SHEET

29/37

FIG. 13A-4

42	Cable(s) / Peripherique(s)	
43	Type de Peripherique d'Entree	Clavier, souris
44	Divers	
45	Normes	Plug and play
46	Dispositifs de Securite	
47	Caracteristiques d'Environnement	10 °C / 35 °C / 20 -80%
48	Alimentation	
49	Type de Peripherique	Alimentation interne
50	Tension Requise	115/220 V \pm 10% (50/60 Hz)
51	Consommation en Fonctionnement	200 Watts
52	Systeme d'exploitation / Logiciel	
53	Systeme d'Exploitation Fourni	Microsoft Windows 95 preinstalle
54	Logiciel(s) Inclu(s)	Lotus SmartSuite, support & utilitaires
55	Garantie	
56	Service / Maintenance	1 annee de garantie
57	Service / Details de la maintenance	1 an x garantie limitee Retour Atelier

REPLACEMENT SHEET

30/37

FIG. 13B-1

Desktop / Deskside ~ 1318
Technical Specifications ~ 1320

|General| ~ 1322

|Product Form Factor()| ~ 1324

|Form Factor (V)| ~ 1326

|Dimensions|(WxDxH)|/|Weight|

|Dimensions / Weight - Width (V)|Dimensions / Weight - Width (U)|x(LR)|Dimensions / Weight - Depth (V)|Dimensions / Weight - Depth (U)|x(LR)|Dimensions / Weight - Height (V)|Dimensions / Weight - Height (U)|/(LR) |Dimensions / Weight - Weight (V)|Dimensions / Weight - Weight (U)|

|Enclosure Color ()|

|Miscellaneous - Color (V)|

|Processor (N)|

|Processor (N)|Installed|(|Max|)|

|Processor - Installed Qty (V)|(|(R)|Processor - Max Supported Qty (V)|(|(L)|x(R)|Processor - Manufacturer (V)|Processor - Type (V)|Processor - Clock Speed (V)|Processor - Clock Speed (U)|

|Data Bus Speed (N)|

|Mainboard - Data Bus Speed (V)|Mainboard - Data Bus Speed (U)|Mainboard - Chipset Type / Vendor (V)|Mainboard - BIOS Type / Vendor (V)|

|Memory|

|Memory / Cache

(N)|Installed|(|Max|)|

|Memory / Cache - Installed Size (V)|Memory / Cache - Installed Size (U)|(|(R)|Memory / Cache - Max Supported Size (V)|Memory / Cache - Max Supported Size (U)|(|(L)|Memory / Cache - Type (V)|-(|)|Memory / Cache - Technology (V)|

|Memory / RAM (N)|Installed|(|Max|)|

|Memory / RAM - Installed Size (V)|Memory / RAM - Installed Size (U)|(|(R)|Memory / RAM - Max Supported Size (V)|Memory / RAM - Max Supported Size (U)|(|(L)|Memory / RAM - Type (V)|-(|)|Memory / RAM - Technology (V)|Memory / RAM - Form Factor (V)|

|Storage|

|Storage Floppy Drive (N)|

|Storage Floppy Drive - Installed Qty (V)|x(LR)|Storage Floppy Drive - Formatted Capacity (V)|Storage Floppy Drive - Formatted Capacity (U)|Storage Floppy Drive - Type (V)|Storage Floppy Drive - Form Factor (V)|

|Storage Hard Drive (N)|

|Storage Hard Drive - Installed Qty (V)|x(LR)|Storage Hard Drive - Formatted Capacity (V)|Storage Hard Drive - Formatted Capacity (U)|Storage Hard Drive - Form Factor (V)|Storage Hard Drive - Compliant Standards (V)|

|Storage CD / DVD (N)|

|Storage CD / DVD - Installed Qty (V)|x(LR)|Storage CD / DVD - Formatted Capacity (V)|Storage CD / DVD - Formatted Capacity (U)|Storage CD / DVD - Type (V)|Storage CD / DVD - CD / DVD Read Speed (V)|Storage CD / DVD - Form Factor (V)|Storage CD / DVD - Compliant Standards (V)|

|Storage Removable (N)|

|Storage Removable - Installed Qty (V)|x(LR)|Storage Removable - Native Capacity (V)|Storage Removable - Native Capacity (U)|Storage Removable - Type (V)|Storage Removable - Form Factor (V)|Storage Removable - Compliant Standards (V)|

|Storage Removable (2nd) (N)|

|Storage Removable (2nd) - Installed Qty (V)|x(LR)|Storage Removable (2nd) - Native Capacity (V)|Storage Removable (2nd) - Native Capacity (U)|Storage Removable (2nd) - Type (V)|Storage Removable (2nd) - Form Factor (V)|Storage Removable (2nd) - Compliant Standards (V)|

REPLACEMENT SHEET

31/37

FIG. 13B-2

Storage Controller (N)	Storage Controller (2nd) - Installed Qty (V) Lx(LR) Storage Controller - Type (V) Storage Controller - Form Factor (V) Storage Controller - RAID Level (V)
Storage Controller (2nd) (N)	Storage Controller (2nd) - Installed Qty (V) Lx(LR) Storage Controller (2nd)- Type (V) Storage Controller (2nd)- Form Factor (V) Storage Controller (2nd)- RAID Level (V)
Display	

32/37

FIG. 13C




FIG. 13D





FIG. 13E



34/37

FIG. 14A





FIG. 14B



1422




FIG. 15A

Connection architecture




FIG. 15B

QUERY




FIG. 15C

CATEGORY ~ 1526

SELECTED ~ 1528
ATTRIBUTES

<input checked="" type="checkbox"/>	ATTRIBUTE 1
<input type="checkbox"/>	ATTRIBUTE 2
<input checked="" type="checkbox"/>	ATTRIBUTE 3
<input type="checkbox"/>	ATTRIBUTE 4
<input checked="" type="checkbox"/>	ATTRIBUTE 5
<input type="checkbox"/>	ATTRIBUTE 6
<input checked="" type="checkbox"/>	ATTRIBUTE 7

SELECTED ~ 1530
PRODUCTS

<input type="checkbox"/>	PRODUCT 1
<input checked="" type="checkbox"/>	PRODUCT 2
<input type="checkbox"/>	PRODUCT 3
<input checked="" type="checkbox"/>	PRODUCT 4
<input type="checkbox"/>	PRODUCT 5
<input checked="" type="checkbox"/>	PRODUCT 6
<input type="checkbox"/>	PRODUCT 7
<input type="checkbox"/>	PRODUCT 8

PRODUCT 2

PRODUCT 4

PRODUCT 6

1532 {

ATTRIBUTE 1
ATTRIBUTE 3
ATTRIBUTE 5
ATTRIBUTE 7

ATTRIBUTE 1
ATTRIBUTE 3
ATTRIBUTE 5
ATTRIBUTE 7

ATTRIBUTE 1
ATTRIBUTE 3
ATTRIBUTE 5
ATTRIBUTE 7